

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"5802538" and server	USPAT	OR	OFF	2005/09/10 13:18
L2	56	((bit\$map\$3 or (bit near map)) with code\$1) same server	USPAT	OR	OFF	2005/09/10 13:14
L3	48	((bit\$map\$3 or (bit near map)) with code\$1) same server and @ad<"20001004"	USPAT	OR	OFF	2005/09/10 13:17
L4	2	((bit\$map\$3 or (bit near map)) with code\$1) same server and @ad<"20001004" and country	USPAT	OR	OFF	2005/09/10 13:15
L5	106	((bit\$map\$3 or (bit near map)) with conver\$) same server and @ad<"20001004"	USPAT	OR	OFF	2005/09/10 13:17
L6	7	"5802538"	USPAT	OR	OFF	2005/09/10 13:19
L7	9	pda and (font\$1 near5 conver\$4) and @ad<"20001004"	USPAT	OR	OFF	2005/09/10 13:20
L8	5	pda and (font\$1 near5 conver\$4) and server and @ad<"20001004"	USPAT	OR	OFF	2005/09/10 13:22
L9	2	pda and (bit\$map or (bit near map)) and (font\$1 near5 conver\$4) and server and @ad<"20001004"	USPAT	OR	OFF	2005/09/10 13:23
L10	53	(bit\$map or (bit near map)) and (font\$1 near5 conver\$4) and server and @ad<"20001004"	USPAT	OR	OFF	2005/09/10 13:24
L11	17	(bit\$map or (bit near map)) and (font\$1 near5 conver\$4) and server and @ad<"20001004" and (country or chinese or japanese)	USPAT	OR	OFF	2005/09/10 13:25
L12	7	(bit\$map or (bit near map)) and (font\$1 near5 conver\$4) and server and @ad<"20001004" and (country or chinese or japanese) and download\$	USPAT	OR	OFF	2005/09/10 13:31
L13	2	(bit\$map or (bit near map)) and (((font\$1 near5 conver\$4) with conver\$) same server) and @ad<"20001004" and (country or chinese or japanese) and download\$	USPAT	OR	OFF	2005/09/10 13:42
L14	19	(((font\$1 near5 conver\$4) with conver\$) same server) and @ad<"20001004"	USPAT	OR	OFF	2005/09/10 13:49
L15	12	(((font\$1 near5 conver\$4) with conver\$) same server) and @ad<"20001004" and (bit\$map or (bit near map))	USPAT	OR	OFF	2005/09/10 13:49

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62	((font\$1 or bit\$map or (bit near map)) near3 conver\$) same server)	USPAT	OR	OFF	2005/09/10 10:10
L2	88	(font\$1 same language same conver\$)	USPAT	OR	OFF	2005/09/10 10:10
L3	8	(font\$1 same language same conver\$ same server)	USPAT	OR	OFF	2005/09/10 10:17
L4	117	(font\$1 near5 server) and language	USPAT	OR	OFF	2005/09/10 10:18
L5	116	(font\$1 near5 server) and language and @ad<"20020420"	USPAT	OR	OFF	2005/09/10 10:18
L6	25	(font\$1 near5 server) and language and (font\$ near5 conver\$) and @ad<"20020420"	USPAT	OR	OFF	2005/09/10 10:24
L7	137	((font\$1 or bit\$map\$) same conver\$ same server) and language and @ad<"20020420"	USPAT	OR	OFF	2005/09/10 10:28
L8	76	((font\$1 or bit\$map\$) with conver\$ same server) and language and @ad<"20020420"	USPAT	OR	OFF	2005/09/10 10:29
L9	69	((font\$1 or bit\$map\$) with conver\$ same server) and language and @ad<"20001006"	USPAT	OR	OFF	2005/09/10 10:34
L10	1	"6320587"	USPAT	OR	OFF	2005/09/10 10:34
L11	1	("5802538").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/10 10:36
L12	1	("5802538").PN. OR ("6320587").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/10 10:38
L13	0	("6320587").URPN.	USPAT	OR	OFF	2005/09/10 10:38